We Claim:

1. A compound selected from compounds of Formula (I):



(I)

wherein:

T and U are both nitrogen; or one of T and U is nitrogen and the other is carbon;

R^1 and R^2 are, independently of each other, hydrogen or alkyl;

n is an integer from 0 to 2, provided that when n is 0, either T or U is carbon;

m is an integer from 0 to 3;

Ar and Ar^1 are, independently of each other, aryl or heteroaryl;

F is alkylene, alkenylene or a bond, provided that when T and U are nitrogen and F is alkylene, then R^4 is not aryl.

Each R is independently hydrogen or alkyl, or R together with either R^3 or R^4 and the atoms to which they are attached form a carbocycle or a heterocycle;

R^3 and R^4 are, independently of each other, selected from:

(i) hydrogen, alkyl, alkenyl, haloalkyl, cycloalkyl, cycloalkylalkyl, heteroaryl, heteroaralkyl, heterocyclyl, heterocyclylalkyl, heteroalkyl, cyano or -(alkylene)-C(O)-Z where Z is alkyl, haloalkyl, alkoxy, haloalkyloxy, hydroxy, amino, mono- or disubstituted amino, aryl, aralkyl, aryloxy, aralkyloxy, heteroaryl, heteroaryloxy or heteroaralkyloxy, provided that both R^3 and R^4 are not hydrogen; or

(ii) R^3 and R^4 together with the carbon atom to which they are attached form a carbocycle or a heterocycle;

E is $-C(O)N(R^5)-$, $-SO_2N(R^5)-$, $-N(R^6)C(O)N(R^5)-$, $-N(R^6)SO_2N(R^5)-$, $-N(R^6)C(S)N(R^5)-$, $-N(R^6)C(O)-$, $-N(R^6)C(O)O-$, $-OC(O)N(R^6)-$ or $-N(R^6)SO_2-$ wherein:

R^5 is:

(i) hydrogen, alkyl, acyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, aralkenyl, heteroaryl, heteroaralkyl, heterocyclylalkyl, heteroalkyl, or -(alkylene)-C(O)-Z where Z is alkyl, haloalkyl, alkoxy, haloalkyloxy, hydroxy, amino, mono- or disubstituted amino, aryl, aralkyl, aryloxy, aralkyloxy, heteroaryl, heteroaryloxy or heteroaralkybxy; or

(ii) R^5 together with either R^3 or R^4 and the atoms to which they are attached forms a heterocycloamino group; and

R^6 is hydrogen, alkyl, acyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, aralkenyl, heteroaryl, heteroaralkyl, heterocyclylalkyl, heteroalkyl, or -(alkylene)-C(O)-Z where Z is alkyl, haloalkyl, alkoxy, haloalkyloxy, hydroxy, amino, mono- or disubstituted amino, aryl, aralkyl, aryloxy, aralkyloxy, heteroaryl, heteroaryloxy or heteroaralkyloxy,

provided that when T is nitrogen and E is $-C(O)N(R^5)-$, $-SO_2N(R^5)-$, $-N(R^6)C(O)N(R^5)-$, $-N(R^6)SO_2N(R^5)-$ or $-N(R^6)C(S)N(R^5)-$, then $m > 0$;

Q is $-R^7-W-R^8-$ wherein:

R^7 is an alkylene chain of between 1-6 carbon atoms inclusive;

R^8 is a bond or an alkylene chain of between 0-4 carbon atoms inclusive;

W is a bond or a group selected from $-C(O)-$, $-NR^9-$, $-O-$, $-S(O)_{0-2}-$, $-C(O)N(R^9)-$, $-N(R^9)C(O)-$, $-N(R^9)SO_2-$, $-SO_2N(R^9)-$, $-N(R^9)C(O)N(R^9)-$, $-N(R^9)SO_2N(R^9)-$ or $-N(R^9)C(S)N(R^9)-$ wherein:

R^9 is hydrogen, alkyl, acyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, aralkenyl, heteroaryl, heteroaralkyl, heterocycloalkyl, heteroalkyl, or -(alkylene)-C(O)-Z where Z is alkyl, haloalkyl, alkoxy, haloalkyloxy, hydroxy, amino, mono- or disubstituted amino, aryl, aralkyl, aryloxy, aralkyloxy, heteroaryl, heteroaryloxy or heteroaralkyloxy,

provided that when T is nitrogen and U is carbon then W is not $-C(O)N(R^9)-$;

and prodrugs, individual isomers, mixtures of isomers and pharmaceutically acceptable salts thereof.

2. The compound of Claim 1, wherein:

n and m are 1;

F is a bond;

Q is an alkylene chain of between 1 to 6 carbon atoms inclusive; and

E is $-C(O)N(R^5)-$, $-SO_2N(R^5)-$, $-N(R^6)C(O)N(R^5)-$ or $-N(R^6)C(O)-$.

3. The compound of Claim 2, wherein:

R, R^1, R^2 and R^3 are hydrogen; and

E is $-C(O)N(R^5)-$.

4. The compound of Claim 3, wherein T and U are both nitrogen.

5. The compound of Claim 4, wherein R^4 is alkyl or heteroalkyl and R^5 is hydrogen.

6. The compound of Claim 5, wherein:

Ar and Ar^1 are aryl.

7. The compound of Claim 6, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

8. The compound of Claim 7, wherein:

Ar is a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), $-SO_2R$ (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -(alkylene)-COOR (where R is hydrogen or alkyl) or $-NRSO_2R'$ (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

9. The compound of Claim 8, wherein:

Ar is phenyl, 4-chlorophenyl, 3,4-difluorophenyl, 4-methylphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 4-hydroxyphenyl, 3,4-methylenedioxyphenyl, 4-methylsulfonylphenyl, 4-[(2-acetylamino)ethyl]phenyl, 4-{2-[(*R*)-amino-3-methylbutyrylamino]ethyl}phenyl, 4-(2-aminoethyl)phenyl, 4-(aminomethyl)-phenyl, 4-(hydroxymethyl)phenyl, 3-aminocarbonylphenyl, 3-carboxyphenyl, 2,5-dimethoxyphenyl, 3,5-dimethoxyphenyl, 3,4-dimethoxyphenyl, 3,4,5-trimethoxy-phenyl, 3-aminocarbonylmethylphenyl, 3-acetylaminomethyphenyl, 3-carboxy-methylphenyl, 3-methylsulfonylaminophenyl, 3-methylsulfonyl-aminomethylphenyl or 4-aminophenyl; and

Ar^1 is 4-nitrophenyl, 4-trifluoromethylphenyl, 4-chlorophenyl, 3,4-difluorophenyl, 2,3-dichlorophenyl, 3-methyl-4-nitrophenyl, 3-chloro-4-fluoro-phenyl or 3,4-dichlorophenyl.

10. The compound of Claim 9, wherein:

R^4 is 1-methylethyl;

Ar is 4-methylphenyl;

Ar^1 is 3,4-dichlorophenyl; and

Q is methylene;

namely, N-{1-(*S*)-[4-(3,4-dichlorobenzyl)piperazin-1-ylmethyl]-2-methylpropyl}-4-methylbenzamide dihydrochloride salt.

11. The compound of Claim 9, wherein:

R^4 is 1,1-dimethylethyl;

Ar is 4-methylphenyl;

Ar^1 is 3,4-dichlorophenyl; and

Q is methylene;

namely, N-{1-(*S*)-[4-(3,4-dichlorobenzyl)piperazin-1-ylmethyl]-2,2-dimethylpropyl}-4-methylbenzamide dihydrochloride salt.

12. The compound of Claim 5, wherein:

Ar is an aryl ring; and

Ar^1 is a heteroaryl ring.

13. The compound of Claim 12, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

14. The compound of Claim13, wherein:

Ar is a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), $-SO_2R$ (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -(alkylene)-COOR (where R is hydrogen or alkyl) or $-NRSO_2R'$ (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is 1-acetylindol-3-yl, 3-methylbenzothiophen-2-yl or 5-nitrothiophen-3-yl.

15. The compound of Claim 5, wherein:

Ar is a heteroaryl ring; and

Ar^1 is an aryl ring.

16. The compound of Claim 15, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

17. The compound of Claim 16, wherein:

Ar is pyridin-2-yl, pyridin-3-yl, quinolin-3-yl or 5-methylthiophen-2-yl; and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

18. The compound of Claim 17, wherein:

Ar^1 is 4-nitrophenyl, 4-trifluoromethylphenyl, 4-chlorophenyl, 3,4-difluorophenyl, 2,3-dichlorophenyl, 3-methyl-4-nitrophenyl, 3-chloro-4-fluorophenyl or 3,4-dichlorophenyl.

19. The compound of Claim 3, wherein T is nitrogen and U is carbon.

20. The compound of Claim 19, wherein R^4 is alkyl or heteroalkyl and R^5 is hydrogen.

21. The compound of Claim 20, wherein:

Ar and Ar^1 are aryl.

22. The compound of Claim 21, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

23. The compound of Claim 22, wherein:

Ar is a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), $-SO_2R$ (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -

(alkylene)-COOR (where R is hydrogen or alkyl) or -$NRSO_2R'$ (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

24. The compound of Claim 23, wherein:

Ar is phenyl, 4-chlorophenyl, 3,4-difluorophenyl, 4-methylphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 4-hydroxyphenyl, 3,4-methylenedioxyphenyl, 4-methylsulfonylphenyl, 4-[(2-acetylamino)ethyl]phenyl, 4-{2-[*(R)*-amino-3-methylbutyrylamino]ethyl}phenyl, 4-(2-aminoethyl)phenyl, 4-(aminomethyl)-phenyl, 4-(hydroxymethyl)phenyl, 3-aminocarbonylphenyl, 3-carboxyphenyl, 2,5-dimethoxyphenyl, 3,5-dimethoxyphenyl, 3,4-dimethoxyphenyl, 3,4,5-trimethoxy-phenyl, 3-aminocarbonylmethylphenyl, 3-acetylaminomethyphenyl, 3-carboxy-methylphenyl, 3-methylsulfonylaminophenyl, 3-methylsulfonylamino-methylphenyl or 4-aminophenyl; and

Ar^1 is 4-nitrophenyl, 4-trifluoromethylphenyl, 4-chlorophenyl, 3,4-difluorophenyl, 2,3-dichlorophenyl, 3-methyl-4-nitrophenyl, 3-chloro-4-fluoro-phenyl or 3,4-dichlorophenyl.

25. The compound of Claim 24, wherein:

R^4 is 1-methylethyl;

Ar is 4-methylphenyl;

Ar^1 is 3,4-dichlorophenyl; and

Q is methylene;

and is named as, N-{1-(*S*)-[4-(3,4-dichlorobenzyl)piperidin-1-ylmethyl]-2-methyl-propyl}-4-methylbenzamide dihydrochloride salt.

26. The compound of Claim 24, wherein:

R^4 is 1-methylethyl;

Ar is 4-(2-aminoethyl)phenyl;

Ar^1 is 3,4-dichlorophenyl; and

Q is methylene;

and is named as, N-{1-(*R*)-[4-(3,4-dichlorobenzyl)piperidin-1-ylmethyl]-2-methyl-propyl}-4-(2-aminoethyl)benzamide dihydrochloride salt.

27. The compound of Claim 20, wherein:

Ar is a heteroaryl ring; and

Ar^1 is an aryl.

28. The compound of Claim 27, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

29. The compound of Claim 28, wherein:

Ar is pyridin-2-yl, pyridin-3-yl, quinolin-3-yl or 5-methylthiophen-2-yl; and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

30. The compound of Claim 29, wherein:

Ar^1 is 4-nitrophenyl, 4-trifluoromethylphenyl, 4-chlorophenyl, 3,4-difluorophenyl, 2,3-dichlorophenyl, 3-methyl-4-nitrophenyl, 3-chloro-4-fluoro-phenyl or 3,4-dichlorophenyl.

31. The compound of Claim 31 wherein:

R^4 is 1-methylethyl;

Ar is 5-methylthiophen-2-yl;

Ar^1 is 3,4-dichlorophenyl; and

Q is methylene;

and is named as, N-{1-(*R*)-[4-(3,4-dichlorobenzyl)piperidin-1-ylmethyl]-2-methyl-propyl}-5-methylthiophene-2-carboxamide hydrochloride salt.

32. The compound of Claim 3, wherein T is carbon and U is nitrogen.

33. The compound of Claim 32, wherein R^4 is alkyl or heteroalkyl; and R^5 is hydrogen.

34. The compound of Claim 33, wherein:

Ar is an aryl or heteroaryl ring; and

Ar^1 is an aryl ring.

35. The compound of Claim 34, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

36. The compound of Claim 35, wherein:

Ar is a pyridin-2-yl, pyridin-3-yl, quinolin-3yl or 5-methylthiophen-2-yl ring, or a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), $-SO_2R$ (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -(alkylene)-COOR (where R is hydrogen or alkyl) or $-NRSO_2R'$ (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

37. The compound of Claim 2, wherein:

R, R^1, R^2 and R^3 are hydrogen; and

E is $-N(R^6)C(O)N(R^5)-$.

38. The compound of Claim 37, wherein T and U are both nitrogen.

39. The compound of Claim 38, wherein R^4 is alkyl or heteroalkyl; and R^5 and R^6 are hydrogen.

40. The compound of Claim 39, wherein:

Ar and Ar^1 are aryl.

41. The compound of Claim 40, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

42. The compound of Claim 41, wherein:

Ar is a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), $-SO_2R$ (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -(alkylene)-COOR (where R is hydrogen or alkyl) or $-NRSO_2R'$ (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

43. The compound of Claim 42, wherein:

Ar is phenyl, 4-chlorophenyl, 3,4-difluorophenyl, 4-methylphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 4-hydroxyphenyl, 3,4-methylenedioxyphenyl,

4-methylsulfonylphenyl, 4-[(2-acetylamino)ethyl]phenyl, 4-{2-[(*R*)-amino-3-methylbutyrylamino]ethyl}phenyl, 4-(2-aminoethyl)phenyl, 4-(aminomethyl)-phenyl, 4-(hydroxymethyl)phenyl, 3-aminocarbonylphenyl, 3-carboxyphenyl, 2,5-dimethoxyphenyl, 3,5-dimethoxyphenyl, 3,4-dimethoxyphenyl, 3,4,5-trimethoxy-phenyl, 3-aminocarbonylmethylphenyl, 3-acetylaminomethyphenyl, 3-carboxy-methylphenyl, 3-methylsulfonylaminophenyl, 3-methylsulfonylamino-methylphenyl or 4-aminophenyl; and

Ar^1 is 4-nitrophenyl, 4-trifluoromethylphenyl, 4-chlorophenyl, 3,4-difluorophenyl, 2,3-dichlorophenyl, 3-methyl-4-nitrophenyl, 3-chloro-4-fluoro-phenyl or 3,4-dichlorophenyl.

44. The compound of Claim 43, wherein:

R^4 is 1-methylethyl;

Ar is 3-methoxyphenyl;

Ar^1 is 3,4-dichlorophenyl; and

Q is methylene;

namely, 1-{1-(*R*)-[4-(3,4-dichlorobenzyl)piperazin-1-ylmethyl]-2-methylpropyl}-3-(3-methoxyphenyl)urea.

45. The compound of Claim 37, wherein T is nitrogen and U is carbon.

46. The compound of Claim 45, wherein R^4 is alkyl or heteroalkyl; and R^5 and R^6 are hydrogen.

47. The compound of Claim 46, wherein:

Ar and Ar^1 are aryl.

48. The compound of Claim 47, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

49. The compound of Claim 48, wherein:

Ar is a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), $-SO_2R$ (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -(alkylene)-COOR (where R is hydrogen or alkyl) or $-NRSO_2R'$ (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

50. The compound of Claim 49, wherein:

Ar is phenyl, 4-chlorophenyl, 3,4-difluorophenyl, 4-methylphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 4-hydroxyphenyl, 3,4-methylenedioxyphenyl, 4-methylsulfonylphenyl, 4-[(2-acetylamino)ethyl]phenyl, 4-{2-[*(R)*-amino-3-methylbutyrylamino]ethyl}phenyl, 4-(2-aminoethyl)phenyl, 4-(aminomethyl)-phenyl, 4-(hydroxymethyl)phenyl, 3-aminocarbonylphenyl, 3-carboxyphenyl, 2,5-dimethoxyphenyl, 3,5-dimethoxyphenyl, 3,4-dimethoxyphenyl, 3,4,5-trimethoxy-phenyl, 3-aminocarbonylmethylphenyl, 3-acetylaminomethyphenyl, 3-carboxy-methylphenyl, 3-methylsulfonylaminophenyl, 3-methylsulfonylamino-methylphenyl or 4-aminophenyl; and

Ar^1 is 4-nitrophenyl, 4-trifluoromethylphenyl, 4-chlorophenyl, 3,4-difluorophenyl, 2,3-dichlorophenyl, 3-methyl-4-nitrophenyl, 3-chloro-4-fluoro-phenyl or 3,4-dichlorophenyl.

51. The compound of Claim 50, wherein:

R^4 is 1-methylethyl;

Ar is 3-methoxyphenyl;

Ar^1 is 3,4-dichlorophenyl; and

Q is methylene;

namely, 1-{1-(*R*)-[4-(3,4-dichlorobenzyl)piperidin-1-ylmethyl]-2-methylpropyl}-3-(3-methoxyphenyl)urea.

52. The compound of Claim 37, wherein T is carbon and U is nitrogen.

53. The compound of Claim 52, wherein R^4 is alkyl or heteroalkyl; and R^5 and R^6 are hydrogen.

54. The compound of Claim 53, wherein:

Ar and Ar^1 are aryl.

55. The compound of Claim 54, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

56. The compound of Claim 55, wherein:

Ar is a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), $-SO_2R$ (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -(alkylene)-COOR (where R is hydrogen or alkyl) or $-NRSO_2R'$ (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

57. The compound of Claim 56, wherein:

Ar is phenyl, 4-chlorophenyl, 3,4-difluorophenyl, 4-methylphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 4-hydroxyphenyl, 3,4-methylenedioxyphenyl,

4-methylsulfonylphenyl, 4-[(2-acetylamino)ethyl]phenyl, 4-{2-[(*R*)-amino-3-methylbutyrylamino]ethyl}phenyl, 4-(2-aminoethyl)phenyl, 4-(aminomethyl)-phenyl, 4-(hydroxymethyl)phenyl, 3-aminocarbonylphenyl, 3-carboxyphenyl, 2,5-dimethoxyphenyl, 3,5-dimethoxyphenyl, 3,4-dimethoxyphenyl, 3,4,5-trimethoxy-phenyl, 3-aminocarbonylmethylphenyl, 3-acetylaminomethyphenyl, 3-carboxy-methylphenyl, 3-methylsulfonylaminophenyl, 3-methylsulfonylamino-methylphenyl or 4-aminophenyl; and

Ar^1 is 4-nitrophenyl, 4-trifluoromethylphenyl, 4-chlorophenyl, 3,4-difluorophenyl, 2,3-dichlorophenyl, 3-methyl-4-nitrophenyl, 3-chloro-4-fluoro-phenyl or 3,4-dichlorophenyl.

58. The compound of Claim 1, wherein:

T is carbon and U is nitrogen;

n is 1;

m is 0;

F is a bond;

Q is an alkylene chain; and

E is $-C(O)N(R^5)-$, $-SO_2N(R^5)-$, $-N(R^6)C(O)N(R^5)-$ or $N(R^6)C(O)-$.

59. The compound of Claim 58, wherein:

R, R^1, R^2 and R^3 are hydrogen; and

E is $-C(O)N(R^5)-$.

60. The compound of Claim 59, wherein R^4 is alkyl or heteroalkyl; and R^5 is hydrogen.

61. The compound of Claim 60, wherein:

Ar is an aryl or heteroaryl ring; and

Ar^1 is an aryl ring.

62. The compound of Claim 61, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

63. The compound of Claim 62, wherein:

Ar is pyridin-2-yl, pyridin-3-yl, quinolin-3yl or 5-methylthiophen- 2-yl, or a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), $-SO_2R$ (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -(alkylene)-COOR (where R is hydrogen or alkyl) or $-NRSO_2R'$ (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

64. The compound of Claim 58, wherein:

R, R^1, R^2 and R^3 are hydrogen; and

E is $-(NR^6)C(O)N(R^5)-$.

65. The compound of Claim 64, wherein R^4 is alkyl or heteroalkyl; and R^5 and R^6 are hydrogen.

66. The compound of Claim 65, wherein:

Ar is an aryl or heteroaryl ring; and

Ar^1 is an aryl ring.

67. The compound of Claim 66, wherein R^4 is 1-methylethyl, 1,1-dimethylethyl, 2-methylpropyl, 3-hydroxypropyl, 1-hydroxyethyl or 2-hydroxyethyl.

68. The compound of Claim 67, wherein:

Ar is pyridin-2-yl, pyridin-3-yl, quinolin-3yl or 5-methylthiophen-2-yl, or a phenyl ring optionally substituted with one, two or three substituents selected from alkyl, heteroalkyl, alkoxy, -COR (where R is alkyl), -SO_2R (where R is alkyl, amino or mono or disubstituted amino), methylenedioxy, hydroxy, halo, acylamino, amino, mono- or disubstituted amino, -CONR'R", -(alkylene)-CONR'R" (where R' and R" are hydrogen or alkyl), -COOR, -(alkylene)-COOR (where R is hydrogen or alkyl) or -NRSO_2R' (where R is hydrogen or alkyl and R' is alkyl, amino, mono or disubstituted amino); and

Ar^1 is a phenyl ring optionally substituted with one, two or three substituent selected from alkyl, heteroalkyl, alkoxy, halo, trifluoromethyl, nitro or mono- or disubstituted amino.

69. The compound of Claim 50, wherein:

R^4 is 1-methylethyl;

Ar is 3,4,5-trimethoxyphenyl;

Ar^1 is 3,4-dichlorophenyl; and

Q is methylene;

namely, 1-{1-(*R*)-[4-(3,4-dichlorobenzyl)piperidin-1-ylmethyl]-2-methylpropyl}-3-(3,4,5-trimethoxyphenyl)urea.

70. A pharmaceutical composition comprising a therapeutically effective amount of a compound of Claim 1 and a pharmaceutically acceptable excipient.

71. A method of treatment of a disease in a mammal treatable by administration of a CCR-3 antagonist, comprising administration to the mammal of a therapeutically effective amount of a compound of Claim 1.

72. The method of Claim 71, wherein the disease is asthma.

* * * * * * * * * * * * *